

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date
22 September 2005 (22.09.2005)

PCT

(10) International Publication Number
WO 2005/088473 A1

(51) International Patent Classification⁷: G06F 17/30

(21) International Application Number: PCT/CH2004/000158

(22) International Filing Date: 17 March 2004 (17.03.2004)

(25) Filing Language: English

(26) Publication Language: English

(71) Applicant (for all designated States except US): ABB RESEARCH LTD [CH/CH]; Affolternstrasse 52, CH-8050 Zürich (CH)

(72) Inventors; and

(75) Inventors/Applicants (for US only): WERNER, Thomas [DE/CH]; Im Ergel 10, CH-5404 Baden (CH). VETTER, Claus [DE/CH]; Segelhof, CH-5405 Baden-Dättwil (CH). SVENSSON, Erik [SE/CH]; Rigistrasse 28, CH-8006 Zürich (CH). KOCH, Thomas [DE/CH]; Triemlihalde 19, CH-8055 Zürich (CH)

(74) Agent: ABB SCHWEIZ AG; Intellectual Property (CH-LC/IP), Brown Boveri Strasse 6, CH-5400 Baden (CH).


(81) Designated States (unless otherwise indicated for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, IJ, IM, IN, TR, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

(84) Designated States (unless otherwise indicated for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, IJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

Published:
— with international search report

[Continued on next page]

(54) Title: APPARATUS AND METHOD FOR DATA CONSISTENCY VALIDATION



(57) Abstract: Attribute consistency works on the comparison of a reference value against the online value of the attributes, which are retrieved from the corresponding system. In order to know which attributes need to be considered for consistency, a list of relevant attributes of each entity type in each application is stored together with the reference value of the entity. This attribute list is used by the consistency service. Therefore several attribute values of one entity in one system can be included in a combined 'hash' value. At start-up or in the engineering phase, this reference value is computed out of the defined attribute list. At the time of a consistency check, the values of the attributes are read and a 'hash' value is calculated with the same algorithm as the reference value. If those two values differ, an inconsistency occurred. The inventive method allows validating consistency of attributes of an entity in one of the participating applications. Any inconsistency can be propagated to all other participating applications which then may trigger functionality accordingly.

WO 2005/088473 A1



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.